

## Curriculum Vitae

<b>Name in Full</b>	Ichiro Oda	<b>Country</b>	Japan
<b>Affiliation</b>	Endoscopy Division, National Cancer Center Hospital, Tokyo, Japan		
<b>Email</b>	ioda@ncc.go.jp		

<b>Educational Background</b>	
01/04/1989	Sapporo Medical University
31/03/1995	Graduated from the above

<b>Professional Career</b>	
01/04/1995	Trainee at Sapporo Medical University, 4 <sup>th</sup> Department of Internal Medicine
01/06/1999	Resident at Endoscopy Division, National Cancer Center Hospital, Tokyo, Japan
01/06/2002	Staff Doctor at Endoscopy Division, National Cancer Center Hospital, Tokyo, Japan
01/09/2011	Head at Endoscopy Division, National Cancer Center Hospital, Tokyo, Japan
01/08/2017	Chief of Division of Science and Technology for Endoscopy, Exploratory Oncology Research & Clinical Trial Center, National Cancer Center, and Head of Endoscopy Division, National Cancer Center Hospital, Tokyo, Japan

<b>Research Field</b>
His work is especially dedicated to endoscopic diagnosis and treatment for superficial neoplasia of upper gastrointestinal tract.

1. Hasuike N, Ono H, Boku N, Mizusawa J, Takizawa K, Fukuda H, Oda I, et al; Gastrointestinal Endoscopy Group of Japan Clinical Oncology Group (JCOG-GIESG). A non-randomized confirmatory trial of an expanded indication for endoscopic submucosal dissection for intestinal-type gastric cancer (cT1a): the Japan Clinical Oncology Group study (JCOG0607). Gastric Cancer. 2018;21:114-123.
2. Yamada M, Oda I, Tanaka H, et al. Tumor location is a risk factor for lymph node metastasis in superficial Barrett's adenocarcinoma. Endosc Int Open. 2017;5:E868-E874.
3. Tanabe S, Hirabayashi S, Oda I, et al. Gastric cancer treated by endoscopic submucosal dissection or endoscopic mucosal resection in Japan from 2004 through 2006: JGCA nationwide registry conducted in 2013. Gastric Cancer. 2017;20:834-842.
4. Maeda M, Nakajima T, Oda I, et al. High impact of methylation accumulation on metachronous gastric cancer: 5-year follow-up of a multicentre prospective cohort study.

Gut. 2017;66:1721-1723.

5. Suzuki H, Oda I, Abe S, et al. Clinical outcomes of early gastric cancer patients after noncurative endoscopic submucosal dissection in a large consecutive patient series. *Gastric Cancer*. 2017;20:679-689.
6. Sekiguchi M, Oda I, Suzuki H, et al. Clinical outcomes and prognostic factors in gastric cancer patients aged  $\geq 85$  years undergoing endoscopic submucosal dissection. *Gastrointest Endosc*. 2017 May;85:963-972.
7. Ishihara R, Oyama T, Abe S, Takahashi H, Ono H, Fujisaki J, Kaise M, Goda K, Kawada K, Koike T, Takeuchi M, Matsuda R, Hirasawa D, Yamada M, Kodaira J, Tanaka M, Omae M, Matsui A, Kanesaka T, Takahashi A, Hirooka S, Saito M, Tsuji Y, Maeda Y, Yamashita H, Oda I, et al Risk of metastasis in adenocarcinoma of the esophagus: a multicenter retrospective study in a Japanese population. *J Gastroenterol*. 2017;52:800-808.
8. Suzuki H, Oda I, Abe S, Sekiguchi M, Mori G, Nonaka S, Yoshinaga S, Saito Y. High rate of 5-year survival among patients with early gastric cancer undergoing curative endoscopic submucosal dissection. *Gastric Cancer*. 2016;19:198-205.
9. Oda I, Nonaka S, Abe S, et al. Is there a need to shield ulcers after endoscopic submucosal dissection in the gastrointestinal tract? *Endosc Int Open*. 2015;03:E152-E153.
10. Oda I, Oyama T, Abe S, et al. Preliminary results of multicenter questionnaire study on long-term outcomes of curative endoscopic submucosal dissection for early gastric cancer. *Dig Endosc*. 2014;26:214-219.
11. Oda I, Suzuki H, Nonaka S, et al. Complications of Gastric Endoscopic Submucosal Dissection. *Dig Endosc*. 2013;25 (Suppl. 1):71–78.
12. Oda I, Odagaki T, Suzuki H, et al. Learning curve for endoscopic submucosal dissection of early gastric cancer based on trainee experience. *Dig Endosc*. 2012;24 Suppl 1:129-32.
13. Oda I, Abe S, Kusano C, et al. Correlation between endoscopic macroscopic type and invasion depth for early esophagogastric junction adenocarcinomas. *Gastric Cancer*. 2011;14:22-27.
14. Oda I, Suzuki H, Yoshinaga S. Macroscopic Estimation of Submucosal Invasion – Stomach. *Techniques in Gastrointestinal Endoscopy*. 2011;13:14-23.
15. Oda I, Gotoda T, Sasako M, et al. Treatment strategy after non-curative endoscopic resection of early gastric cancer. *Br J Surg*. 2008;95:1495-500.
16. Oda I, Saito D, Tada M, et al. A multicenter retrospective study of endoscopic resection for early gastric cancer. *Gastric Cancer* 2006;9:262-270.
17. Oda I, Gotoda T, Hamanaka H, et al. Endoscopic submucosal dissection for early gastric cancer: Technical feasibility, operation time and complications from a large consecutive series. *Digestive Endoscopy* 2005;17:54-58.

